

### LAB TECHNICIAN EXAM RESULT

| ROLLNO   | CATEGORY | Total Marks |
|----------|----------|-------------|
| 22100012 | GENERAL  | 44.00       |
| 22100015 | GENERAL  | 86.00       |
| 22100017 | GENERAL  | 70.00       |
| 22100018 | GENERAL  | 70.00       |
| 22100022 | GENERAL  | 90.00       |
| 22100029 | GENERAL  | 112.00      |
| 22100030 | GENERAL  | 56.00       |
| 22100032 | GENERAL  | 98.00       |
| 22100035 | GENERAL  | 84.00       |
| 22100036 | GENERAL  | 74.00       |
| 22100038 | GENERAL  | 90.00       |
| 22100040 | GENERAL  | 72.00       |
| 22100041 | GENERAL  | 72.00       |
| 22100042 | GENERAL  | 64.00       |
| 22100046 | GENERAL  | 96.00       |
| 22100047 | GENERAL  | 54.00       |
| 22100049 | GENERAL  | 66.00       |
| 22100055 | GENERAL  | 56.00       |
| 22100056 | GENERAL  | 94.00       |
| 22100059 | GENERAL  | 66.00       |
| 22100060 | GENERAL  | 60.00       |
| 22100061 | GENERAL  | 84.00       |
| 22100077 | GENERAL  | 56.00       |
| 22100081 | GENERAL  | 70.00       |
| 22100086 | GENERAL  | 80.00       |
| 22100087 | GENERAL  | 72.00       |
| 22100104 | GENERAL  | 64.00       |
| 22100107 | GENERAL  | 66.00       |
| 22100110 | GENERAL  | 48.00       |
| 22100129 | GENERAL  | 76.00       |
| 22100131 | GENERAL  | 88.00       |
| 22100135 | GENERAL  | 84.00       |
| 22100136 | GENERAL  | 104.00      |
| 22100138 | GENERAL  | 50.00       |
| 22100139 | GENERAL  | 112.00      |
| 22100142 | GENERAL  | 80.00       |
| 22100144 | GENERAL  | 40.00       |
| 22100150 | GENERAL  | 94.00       |
| 22100159 | GENERAL  | 110.00      |
| 22100169 | GENERAL  | 100.00      |
| 22100171 | GENERAL  | 66.00       |
| 22100182 | GENERAL  | 62.00       |
| 22100183 | GENERAL  | 98.00       |
| 22100184 | GENERAL  | 82.00       |
| 22100186 | GENERAL  | 124.00      |
| 22100193 | GENERAL  | 66.00       |
| 22100197 | GENERAL  | 70.00       |
| 22100199 | GENERAL  | 58.00       |
| 22100208 | GENERAL  | 120.00      |
| 22100219 | GENERAL  | 100.00      |

### LAB TECHNICIAN EXAM RESULT

|          |         |        |
|----------|---------|--------|
| 22100233 | GENERAL | 50.00  |
| 22100242 | GENERAL | 96.00  |
| 22100244 | GENERAL | 70.00  |
| 22100248 | GENERAL | 70.00  |
| 22100254 | GENERAL | 60.00  |
| 22100261 | GENERAL | 80.00  |
| 22100262 | GENERAL | 66.00  |
| 22100264 | GENERAL | 100.00 |
| 22100266 | GENERAL | 92.00  |
| 22100267 | GENERAL | 68.00  |
| 22100268 | GENERAL | 94.00  |
| 22100269 | GENERAL | 74.00  |
| 22100277 | GENERAL | 90.00  |
| 22100283 | GENERAL | 78.00  |
| 22100294 | GENERAL | 62.00  |
| 22100297 | GENERAL | 134.00 |
| 22100299 | GENERAL | 78.00  |
| 22100306 | GENERAL | 94.00  |
| 22100308 | GENERAL | 76.00  |
| 22100309 | GENERAL | 92.00  |
| 22100312 | GENERAL | 120.00 |
| 22100325 | GENERAL | 84.00  |
| 22100327 | GENERAL | 72.00  |
| 22100333 | GENERAL | 80.00  |
| 22100338 | GENERAL | 102.00 |
| 22100339 | GENERAL | 82.00  |
| 22100344 | GENERAL | 80.00  |
| 22100349 | GENERAL | 80.00  |
| 22100353 | GENERAL | 64.00  |
| 22100356 | GENERAL | 66.00  |
| 22100361 | GENERAL | 82.00  |
| 22100362 | GENERAL | 72.00  |
| 22100366 | GENERAL | 76.00  |
| 22100369 | GENERAL | 128.00 |
| 22100374 | GENERAL | 44.00  |
| 22100376 | GENERAL | 86.00  |
| 22100377 | GENERAL | 90.00  |
| 22100381 | GENERAL | 98.00  |
| 22100382 | GENERAL | 78.00  |
| 22100385 | GENERAL | 78.00  |
| 22100386 | GENERAL | 104.00 |
| 22100395 | GENERAL | 102.00 |
| 22100397 | GENERAL | 64.00  |
| 22100399 | GENERAL | 82.00  |
| 22100404 | GENERAL | 78.00  |
| 22100407 | GENERAL | 120.00 |
| 22100412 | GENERAL | 84.00  |
| 22100415 | GENERAL | 50.00  |
| 22100420 | GENERAL | 60.00  |
| 22100423 | GENERAL | 68.00  |
| 22100425 | GENERAL | 102.00 |

### LAB TECHNICIAN EXAM RESULT

|          |         |        |
|----------|---------|--------|
| 22100426 | GENERAL | 88.00  |
| 22100428 | GENERAL | 126.00 |
| 22100431 | GENERAL | 78.00  |
| 22100432 | GENERAL | 84.00  |
| 22100440 | GENERAL | 84.00  |
| 22100447 | GENERAL | 104.00 |
| 22100448 | GENERAL | 80.00  |
| 22100455 | GENERAL | 62.00  |
| 22100457 | GENERAL | 76.00  |
| 22100460 | GENERAL | 82.00  |
| 22100467 | GENERAL | 60.00  |
| 22100475 | GENERAL | 118.00 |
| 22100485 | GENERAL | 114.00 |
| 22100499 | GENERAL | 54.00  |
| 22100500 | GENERAL | 64.00  |
| 22100501 | GENERAL | 130.00 |
| 22100502 | GENERAL | 74.00  |
| 22100504 | GENERAL | 70.00  |
| 22100511 | GENERAL | 110.00 |
| 22100513 | GENERAL | 56.00  |
| 22100514 | GENERAL | 96.00  |
| 22100515 | GENERAL | 100.00 |
| 22100521 | GENERAL | 104.00 |
| 22100523 | GENERAL | 88.00  |
| 22100527 | GENERAL | 86.00  |
| 22100533 | GENERAL | 48.00  |
| 22100537 | GENERAL | 48.00  |
| 22100540 | GENERAL | 70.00  |
| 22100542 | GENERAL | 64.00  |
| 22100546 | GENERAL | 96.00  |
| 22100552 | GENERAL | 54.00  |
| 22100556 | GENERAL | 96.00  |
| 22100557 | GENERAL | 52.00  |
| 22100560 | GENERAL | 86.00  |
| 22100562 | GENERAL | 102.00 |
| 22100569 | GENERAL | 88.00  |
| 22100572 | GENERAL | 122.00 |
| 22100575 | GENERAL | 64.00  |
| 22100576 | GENERAL | 142.00 |
| 22100579 | GENERAL | 68.00  |
| 22100580 | GENERAL | 54.00  |
| 22100586 | GENERAL | 52.00  |
| 22100587 | GENERAL | 100.00 |
| 22100589 | GENERAL | 98.00  |
| 22100614 | GENERAL | 50.00  |
| 22100621 | GENERAL | 62.00  |
| 22100630 | GENERAL | 80.00  |
| 22100633 | GENERAL | 86.00  |
| 22100637 | GENERAL | 54.00  |
| 22100646 | GENERAL | 88.00  |
| 22100648 | GENERAL | 72.00  |



### LAB TECHNICIAN EXAM RESULT

|          |         |        |
|----------|---------|--------|
| 22100650 | GENERAL | 76.00  |
| 22100652 | GENERAL | 76.00  |
| 22100663 | GENERAL | 68.00  |
| 22100668 | GENERAL | 88.00  |
| 22100669 | GENERAL | 70.00  |
| 22100671 | GENERAL | 80.00  |
| 22100677 | GENERAL | 72.00  |
| 22100679 | GENERAL | 64.00  |
| 22100683 | GENERAL | 138.00 |
| 22100689 | GENERAL | 106.00 |
| 22100690 | GENERAL | 90.00  |
| 22100693 | GENERAL | 64.00  |
| 22100694 | GENERAL | 66.00  |
| 22100695 | GENERAL | 64.00  |
| 22100696 | GENERAL | 88.00  |
| 22100701 | GENERAL | 102.00 |
| 22100702 | GENERAL | 102.00 |
| 22100706 | GENERAL | 60.00  |
| 22100709 | GENERAL | 68.00  |
| 22100711 | GENERAL | 74.00  |
| 22100712 | GENERAL | 106.00 |
| 22100714 | GENERAL | 106.00 |
| 22100715 | GENERAL | 64.00  |
| 22100719 | GENERAL | 64.00  |
| 22100723 | GENERAL | 106.00 |
| 22100729 | GENERAL | 50.00  |
| 22100731 | GENERAL | 80.00  |
| 22100732 | GENERAL | 68.00  |
| 22100733 | GENERAL | 90.00  |
| 22100742 | GENERAL | 50.00  |
| 22100743 | GENERAL | 96.00  |
| 22100746 | GENERAL | 76.00  |
| 22100750 | GENERAL | 106.00 |
| 22100769 | GENERAL | 116.00 |
| 22100770 | GENERAL | 60.00  |
| 22100774 | GENERAL | 62.00  |
| 22100780 | GENERAL | 98.00  |
| 22100783 | GENERAL | 76.00  |
| 22100786 | GENERAL | 48.00  |
| 22100788 | GENERAL | 96.00  |
| 22100790 | GENERAL | 72.00  |
| 22100800 | GENERAL | 78.00  |
| 22100803 | GENERAL | 54.00  |
| 22100807 | GENERAL | 108.00 |
| 22100813 | GENERAL | 60.00  |
| 22100814 | GENERAL | 72.00  |
| 22100815 | GENERAL | 96.00  |
| 22100817 | GENERAL | 60.00  |
| 22100818 | GENERAL | 78.00  |
| 22100826 | GENERAL | 56.00  |
| 22100828 | GENERAL | 72.00  |

### LAB TECHNICIAN EXAM RESULT

|          |         |        |
|----------|---------|--------|
| 22100835 | GENERAL | 70.00  |
| 22100842 | GENERAL | 88.00  |
| 22100847 | GENERAL | 88.00  |
| 22100848 | GENERAL | 62.00  |
| 22100849 | GENERAL | 90.00  |
| 22100852 | GENERAL | 58.00  |
| 22100857 | GENERAL | 66.00  |
| 22100862 | GENERAL | 68.00  |
| 22100863 | GENERAL | 72.00  |
| 22100865 | GENERAL | 100.00 |
| 22100869 | GENERAL | 96.00  |
| 22100871 | GENERAL | 118.00 |
| 22100874 | GENERAL | 84.00  |
| 22100882 | GENERAL | 94.00  |
| 22100890 | GENERAL | 64.00  |
| 22100891 | GENERAL | 92.00  |
| 22100894 | GENERAL | 90.00  |
| 22100901 | GENERAL | 106.00 |
| 22100904 | GENERAL | 90.00  |
| 22100906 | GENERAL | 66.00  |
| 22100915 | GENERAL | 110.00 |
| 22100918 | GENERAL | 108.00 |
| 22100919 | GENERAL | 110.00 |
| 22100922 | GENERAL | 82.00  |
| 22100924 | GENERAL | 102.00 |
| 22100928 | GENERAL | 82.00  |
| 22100929 | GENERAL | 102.00 |
| 22100930 | GENERAL | 78.00  |
| 22100932 | GENERAL | 96.00  |
| 22100936 | GENERAL | 142.00 |
| 22100937 | GENERAL | 56.00  |
| 22100951 | GENERAL | 84.00  |
| 22100953 | GENERAL | 88.00  |
| 22100954 | GENERAL | 66.00  |
| 22100957 | GENERAL | 60.00  |
| 22100971 | GENERAL | 64.00  |
| 22100979 | GENERAL | 64.00  |
| 22100982 | GENERAL | 90.00  |
| 22100992 | GENERAL | 66.00  |
| 22100994 | GENERAL | 62.00  |
| 22100997 | GENERAL | 126.00 |
| 22101015 | GENERAL | 64.00  |
| 22101030 | GENERAL | 84.00  |
| 22101031 | GENERAL | 64.00  |
| 22101032 | GENERAL | 86.00  |

## LAB TECHNICIAN EXAM RESULT

| ROLLNO   | CATEGORY | Total Marks |
|----------|----------|-------------|
| 22100008 | ST       | 50.00       |
| 22100016 | ST       | 90.00       |
| 22100031 | ST       | 94.00       |
| 22100052 | ST       | 50.00       |
| 22100054 | ST       | 58.00       |
| 22100062 | ST       | 50.00       |
| 22100069 | ST       | 54.00       |
| 22100073 | ST       | 80.00       |
| 22100083 | ST       | 88.00       |
| 22100103 | ST       | 62.00       |
| 22100111 | ST       | 74.00       |
| 22100120 | ST       | 94.00       |
| 22100130 | ST       | 98.00       |
| 22100134 | ST       | 62.00       |
| 22100140 | ST       | 80.00       |
| 22100145 | ST       | 74.00       |
| 22100146 | ST       | 36.00       |
| 22100151 | ST       | 110.00      |
| 22100153 | ST       | 88.00       |
| 22100157 | ST       | 48.00       |
| 22100161 | ST       | 70.00       |
| 22100163 | ST       | 78.00       |
| 22100168 | ST       | 64.00       |
| 22100176 | ST       | 94.00       |
| 22100177 | ST       | 114.00      |
| 22100190 | ST       | 74.00       |
| 22100192 | ST       | 68.00       |
| 22100198 | ST       | 78.00       |
| 22100204 | ST       | 88.00       |
| 22100206 | ST       | 58.00       |
| 22100209 | ST       | 72.00       |
| 22100213 | ST       | 78.00       |
| 22100216 | ST       | 108.00      |
| 22100231 | ST       | 82.00       |
| 22100239 | ST       | 74.00       |
| 22100256 | ST       | 68.00       |
| 22100260 | ST       | 58.00       |
| 22100274 | ST       | 78.00       |
| 22100276 | ST       | 70.00       |
| 22100278 | ST       | 72.00       |
| 22100287 | ST       | 76.00       |
| 22100300 | ST       | 102.00      |
| 22100302 | ST       | 58.00       |
| 22100311 | ST       | 80.00       |
| 22100314 | ST       | 60.00       |
| 22100317 | ST       | 66.00       |
| 22100320 | ST       | 52.00       |
| 22100321 | ST       | 92.00       |
| 22100329 | ST       | 54.00       |
| 22100334 | ST       | 48.00       |



## LAB TECHNICIAN EXAM RESULT

|          |    |        |
|----------|----|--------|
| 22100336 | ST | 70.00  |
| 22100337 | ST | 56.00  |
| 22100350 | ST | 52.00  |
| 22100359 | ST | 74.00  |
| 22100365 | ST | 110.00 |
| 22100384 | ST | 82.00  |
| 22100390 | ST | 72.00  |
| 22100418 | ST | 70.00  |
| 22100429 | ST | 120.00 |
| 22100438 | ST | 60.00  |
| 22100443 | ST | 58.00  |
| 22100445 | ST | 58.00  |
| 22100452 | ST | 74.00  |
| 22100462 | ST | 60.00  |
| 22100470 | ST | 52.00  |
| 22100482 | ST | 80.00  |
| 22100483 | ST | 68.00  |
| 22100493 | ST | 56.00  |
| 22100498 | ST | 90.00  |
| 22100522 | ST | 54.00  |
| 22100536 | ST | 88.00  |
| 22100543 | ST | 62.00  |
| 22100567 | ST | 84.00  |
| 22100577 | ST | 58.00  |
| 22100578 | ST | 74.00  |
| 22100581 | ST | 68.00  |
| 22100585 | ST | 68.00  |
| 22100592 | ST | 58.00  |
| 22100598 | ST | 74.00  |
| 22100599 | ST | 62.00  |
| 22100600 | ST | 68.00  |
| 22100601 | ST | 84.00  |
| 22100603 | ST | 54.00  |
| 22100620 | ST | 74.00  |
| 22100622 | ST | 50.00  |
| 22100631 | ST | 68.00  |
| 22100634 | ST | 86.00  |
| 22100638 | ST | 82.00  |
| 22100639 | ST | 58.00  |
| 22100645 | ST | 68.00  |
| 22100651 | ST | 78.00  |
| 22100658 | ST | 100.00 |
| 22100660 | ST | 72.00  |
| 22100673 | ST | 64.00  |
| 22100676 | ST | 64.00  |
| 22100680 | ST | 68.00  |
| 22100682 | ST | 62.00  |
| 22100691 | ST | 56.00  |
| 22100704 | ST | 78.00  |
| 22100722 | ST | 60.00  |
| 22100725 | ST | 52.00  |

### LAB TECHNICIAN EXAM RESULT

|          |    |        |
|----------|----|--------|
| 22100737 | ST | 62.00  |
| 22100738 | ST | 66.00  |
| 22100744 | ST | 86.00  |
| 22100752 | ST | 72.00  |
| 22100776 | ST | 48.00  |
| 22100777 | ST | 92.00  |
| 22100785 | ST | 70.00  |
| 22100796 | ST | 58.00  |
| 22100801 | ST | 70.00  |
| 22100808 | ST | 66.00  |
| 22100822 | ST | 76.00  |
| 22100824 | ST | 60.00  |
| 22100825 | ST | 54.00  |
| 22100827 | ST | 66.00  |
| 22100838 | ST | 60.00  |
| 22100845 | ST | 60.00  |
| 22100846 | ST | 68.00  |
| 22100850 | ST | 62.00  |
| 22100854 | ST | 60.00  |
| 22100861 | ST | 54.00  |
| 22100883 | ST | 80.00  |
| 22100885 | ST | 70.00  |
| 22100887 | ST | 82.00  |
| 22100889 | ST | 66.00  |
| 22100908 | ST | 114.00 |
| 22100909 | ST | 80.00  |
| 22100913 | ST | 90.00  |
| 22100914 | ST | 76.00  |
| 22100942 | ST | 62.00  |
| 22100950 | ST | 104.00 |
| 22100968 | ST | 80.00  |
| 22100983 | ST | 64.00  |
| 22100986 | ST | 88.00  |
| 22100991 | ST | 98.00  |
| 22100995 | ST | 74.00  |
| 22101000 | ST | 98.00  |
| 22101002 | ST | 72.00  |
| 22101004 | ST | 84.00  |
| 22101006 | ST | 88.00  |
| 22101022 | ST | 52.00  |
| 22101034 | ST | 56.00  |
| 22101035 | ST | 78.00  |



## LAB TECHNICIAN EXAM RESULT

| ROLLNO   | CATEGORY | Total Marks |
|----------|----------|-------------|
| 22100005 | PH       | 48.00       |
| 22100027 | PH       | 74.00       |
| 22100275 | PH       | 84.00       |
| 22100292 | PH       | 116.00      |
| 22100360 | PH       | 74.00       |
| 22100450 | PH       | 86.00       |
| 22100534 | PH       | 106.00      |
| 22100618 | PH       | 70.00       |
| 22100917 | PH       | 100.00      |
| 22100963 | PH       | 82.00       |

**LAB TECHNICIAN EXAM RESULT**

| ROLLNO   | CATEGORY | Total Marks |
|----------|----------|-------------|
| 22100002 | OBC      | 100.00      |
| 22100003 | OBC      | 90.00       |
| 22100004 | OBC      | 76.00       |
| 22100007 | OBC      | 66.00       |
| 22100009 | OBC      | 88.00       |
| 22100011 | OBC      | 88.00       |
| 22100021 | OBC      | 118.00      |
| 22100023 | OBC      | 80.00       |
| 22100025 | OBC      | 78.00       |
| 22100026 | OBC      | 94.00       |
| 22100043 | OBC      | 112.00      |
| 22100044 | OBC      | 58.00       |
| 22100045 | OBC      | 114.00      |
| 22100058 | OBC      | 84.00       |
| 22100066 | OBC      | 72.00       |
| 22100090 | OBC      | 70.00       |
| 22100091 | OBC      | 106.00      |
| 22100092 | OBC      | 52.00       |
| 22100105 | OBC      | 62.00       |
| 22100112 | OBC      | 74.00       |
| 22100113 | OBC      | 8.00        |
| 22100116 | OBC      | 60.00       |
| 22100123 | OBC      | 86.00       |
| 22100125 | OBC      | 110.00      |
| 22100126 | OBC      | 104.00      |
| 22100137 | OBC      | 110.00      |
| 22100147 | OBC      | 88.00       |
| 22100148 | OBC      | 114.00      |
| 22100149 | OBC      | 60.00       |
| 22100154 | OBC      | 58.00       |
| 22100160 | OBC      | 72.00       |
| 22100164 | OBC      | 74.00       |
| 22100167 | OBC      | 64.00       |
| 22100175 | OBC      | 70.00       |
| 22100179 | OBC      | 74.00       |
| 22100187 | OBC      | 30.00       |
| 22100194 | OBC      | 56.00       |
| 22100195 | OBC      | 72.00       |
| 22100212 | OBC      | 52.00       |
| 22100214 | OBC      | 62.00       |
| 22100220 | OBC      | 84.00       |
| 22100223 | OBC      | 82.00       |
| 22100227 | OBC      | 82.00       |
| 22100236 | OBC      | 56.00       |
| 22100237 | OBC      | 68.00       |
| 22100238 | OBC      | 58.00       |
| 22100241 | OBC      | 84.00       |
| 22100255 | OBC      | 92.00       |
| 22100265 | OBC      | 78.00       |
| 22100270 | OBC      | 102.00      |

### LAB TECHNICIAN EXAM RESULT

|          |     |        |
|----------|-----|--------|
| 22100282 | OBC | 96.00  |
| 22100284 | OBC | 74.00  |
| 22100289 | OBC | 92.00  |
| 22100293 | OBC | 70.00  |
| 22100296 | OBC | 90.00  |
| 22100301 | OBC | 58.00  |
| 22100303 | OBC | 78.00  |
| 22100304 | OBC | 70.00  |
| 22100305 | OBC | 122.00 |
| 22100313 | OBC | 80.00  |
| 22100315 | OBC | 80.00  |
| 22100326 | OBC | 62.00  |
| 22100328 | OBC | 82.00  |
| 22100331 | OBC | 68.00  |
| 22100340 | OBC | 72.00  |
| 22100342 | OBC | 90.00  |
| 22100364 | OBC | 78.00  |
| 22100371 | OBC | 132.00 |
| 22100379 | OBC | 76.00  |
| 22100387 | OBC | 56.00  |
| 22100389 | OBC | 94.00  |
| 22100401 | OBC | 86.00  |
| 22100411 | OBC | 48.00  |
| 22100417 | OBC | 86.00  |
| 22100422 | OBC | 80.00  |
| 22100427 | OBC | 76.00  |
| 22100434 | OBC | 100.00 |
| 22100446 | OBC | 84.00  |
| 22100468 | OBC | 64.00  |
| 22100469 | OBC | 58.00  |
| 22100471 | OBC | 72.00  |
| 22100488 | OBC | 48.00  |
| 22100494 | OBC | 118.00 |
| 22100496 | OBC | 80.00  |
| 22100505 | OBC | 82.00  |
| 22100506 | OBC | 102.00 |
| 22100518 | OBC | 80.00  |
| 22100525 | OBC | 74.00  |
| 22100526 | OBC | 74.00  |
| 22100535 | OBC | 72.00  |
| 22100549 | OBC | 60.00  |
| 22100553 | OBC | 84.00  |
| 22100555 | OBC | 68.00  |
| 22100559 | OBC | 96.00  |
| 22100568 | OBC | 44.00  |
| 22100582 | OBC | 48.00  |
| 22100593 | OBC | 80.00  |
| 22100596 | OBC | 60.00  |
| 22100606 | OBC | 62.00  |
| 22100607 | OBC | 84.00  |
| 22100608 | OBC | 50.00  |



### LAB TECHNICIAN EXAM RESULT

|          |     |        |
|----------|-----|--------|
| 22100612 | OBC | 62.00  |
| 22100625 | OBC | 54.00  |
| 22100632 | OBC | 70.00  |
| 22100644 | OBC | 58.00  |
| 22100647 | OBC | 62.00  |
| 22100653 | OBC | 50.00  |
| 22100657 | OBC | 90.00  |
| 22100662 | OBC | 80.00  |
| 22100675 | OBC | 88.00  |
| 22100678 | OBC | 72.00  |
| 22100681 | OBC | 84.00  |
| 22100685 | OBC | 70.00  |
| 22100686 | OBC | 74.00  |
| 22100699 | OBC | 104.00 |
| 22100707 | OBC | 62.00  |
| 22100708 | OBC | 60.00  |
| 22100710 | OBC | 82.00  |
| 22100717 | OBC | 70.00  |
| 22100734 | OBC | 68.00  |
| 22100748 | OBC | 80.00  |
| 22100754 | OBC | 72.00  |
| 22100758 | OBC | 50.00  |
| 22100760 | OBC | 74.00  |
| 22100764 | OBC | 66.00  |
| 22100771 | OBC | 114.00 |
| 22100772 | OBC | 88.00  |
| 22100781 | OBC | 68.00  |
| 22100791 | OBC | 68.00  |
| 22100792 | OBC | 54.00  |
| 22100793 | OBC | 122.00 |
| 22100804 | OBC | 104.00 |
| 22100806 | OBC | 90.00  |
| 22100820 | OBC | 80.00  |
| 22100823 | OBC | 92.00  |
| 22100830 | OBC | 106.00 |
| 22100839 | OBC | 68.00  |
| 22100858 | OBC | 66.00  |
| 22100864 | OBC | 66.00  |
| 22100866 | OBC | 98.00  |
| 22100870 | OBC | 96.00  |
| 22100873 | OBC | 112.00 |
| 22100878 | OBC | 60.00  |
| 22100880 | OBC | 64.00  |
| 22100884 | OBC | 100.00 |
| 22100897 | OBC | 96.00  |
| 22100902 | OBC | 92.00  |
| 22100905 | OBC | 68.00  |
| 22100907 | OBC | 98.00  |
| 22100911 | OBC | 88.00  |
| 22100912 | OBC | 66.00  |
| 22100916 | OBC | 98.00  |

### LAB TECHNICIAN EXAM RESULT

|          |     |        |
|----------|-----|--------|
| 22100938 | OBC | 70.00  |
| 22100939 | OBC | 72.00  |
| 22100943 | OBC | 94.00  |
| 22100952 | OBC | 74.00  |
| 22100955 | OBC | 68.00  |
| 22100962 | OBC | 62.00  |
| 22100965 | OBC | 112.00 |
| 22100978 | OBC | 82.00  |
| 22100984 | OBC | 90.00  |
| 22100989 | OBC | 80.00  |
| 22100993 | OBC | 74.00  |
| 22100999 | OBC | 70.00  |
| 22101003 | OBC | 62.00  |
| 22101014 | OBC | 106.00 |
| 22101018 | OBC | 80.00  |
| 22101019 | OBC | 78.00  |
| 22101020 | OBC | 62.00  |
| 22101021 | OBC | 72.00  |
| 22101023 | OBC | 80.00  |
| 22101038 | OBC | 58.00  |

### LAB TECHNICIAN EXAM RESULT

| ROLLNO   | CATEGORY | Total Marks |
|----------|----------|-------------|
| 22100006 | SC       | 98.00       |
| 22100037 | SC       | 92.00       |
| 22100080 | SC       | 90.00       |
| 22100095 | SC       | 78.00       |
| 22100108 | SC       | 84.00       |
| 22100118 | SC       | 64.00       |
| 22100156 | SC       | 84.00       |
| 22100172 | SC       | 86.00       |
| 22100173 | SC       | 60.00       |
| 22100180 | SC       | 98.00       |
| 22100196 | SC       | 116.00      |
| 22100207 | SC       | 86.00       |
| 22100210 | SC       | 114.00      |
| 22100211 | SC       | 80.00       |
| 22100224 | SC       | 98.00       |
| 22100226 | SC       | 104.00      |
| 22100228 | SC       | 52.00       |
| 22100240 | SC       | 94.00       |
| 22100273 | SC       | 46.00       |
| 22100290 | SC       | 56.00       |
| 22100316 | SC       | 50.00       |
| 22100318 | SC       | 116.00      |
| 22100319 | SC       | 108.00      |
| 22100322 | SC       | 96.00       |
| 22100330 | SC       | 80.00       |
| 22100345 | SC       | 96.00       |
| 22100346 | SC       | 92.00       |
| 22100357 | SC       | 76.00       |
| 22100370 | SC       | 88.00       |
| 22100388 | SC       | 100.00      |
| 22100391 | SC       | 70.00       |
| 22100396 | SC       | 128.00      |
| 22100400 | SC       | 76.00       |
| 22100414 | SC       | 82.00       |
| 22100416 | SC       | 68.00       |
| 22100449 | SC       | 60.00       |
| 22100454 | SC       | 66.00       |
| 22100458 | SC       | 72.00       |
| 22100461 | SC       | 70.00       |
| 22100465 | SC       | 72.00       |
| 22100473 | SC       | 92.00       |
| 22100474 | SC       | 74.00       |
| 22100477 | SC       | 104.00      |
| 22100478 | SC       | 30.00       |
| 22100480 | SC       | 78.00       |
| 22100481 | SC       | 40.00       |
| 22100490 | SC       | 86.00       |
| 22100492 | SC       | 88.00       |
| 22100519 | SC       | 92.00       |
| 22100520 | SC       | 66.00       |



### LAB TECHNICIAN EXAM RESULT

|          |    |        |
|----------|----|--------|
| 22100532 | SC | 70.00  |
| 22100541 | SC | 60.00  |
| 22100548 | SC | 64.00  |
| 22100566 | SC | 94.00  |
| 22100570 | SC | 110.00 |
| 22100594 | SC | 52.00  |
| 22100609 | SC | 64.00  |
| 22100613 | SC | 72.00  |
| 22100649 | SC | 64.00  |
| 22100654 | SC | 74.00  |
| 22100656 | SC | 60.00  |
| 22100670 | SC | 50.00  |
| 22100672 | SC | 52.00  |
| 22100674 | SC | 72.00  |
| 22100713 | SC | 70.00  |
| 22100721 | SC | 46.00  |
| 22100728 | SC | 76.00  |
| 22100745 | SC | 116.00 |
| 22100747 | SC | 92.00  |
| 22100753 | SC | 66.00  |
| 22100756 | SC | 60.00  |
| 22100757 | SC | 102.00 |
| 22100765 | SC | 84.00  |
| 22100775 | SC | 82.00  |
| 22100784 | SC | 62.00  |
| 22100787 | SC | 80.00  |
| 22100794 | SC | 66.00  |
| 22100798 | SC | 76.00  |
| 22100799 | SC | 70.00  |
| 22100819 | SC | 116.00 |
| 22100829 | SC | 70.00  |
| 22100840 | SC | 78.00  |
| 22100843 | SC | 92.00  |
| 22100844 | SC | 74.00  |
| 22100853 | SC | 84.00  |
| 22100855 | SC | 80.00  |
| 22100859 | SC | 104.00 |
| 22100872 | SC | 70.00  |
| 22100879 | SC | 74.00  |
| 22100886 | SC | 64.00  |
| 22100893 | SC | 80.00  |
| 22100899 | SC | 70.00  |
| 22100925 | SC | 54.00  |
| 22100927 | SC | 90.00  |
| 22100934 | SC | 90.00  |
| 22100947 | SC | 78.00  |
| 22100949 | SC | 48.00  |
| 22100959 | SC | 50.00  |
| 22100966 | SC | 102.00 |
| 22100981 | SC | 52.00  |
| 22100987 | SC | 62.00  |

### LAB TECHNICIAN EXAM RESULT

|          |    |        |
|----------|----|--------|
| 22100996 | SC | 30.00  |
| 22101009 | SC | 100.00 |
| 22101011 | SC | 56.00  |
| 22101013 | SC | 92.00  |
| 22101028 | SC | 70.00  |
| 22101037 | SC | 62.00  |

## LAB TECHNICIAN EXAM RESULT

| ROLLNO   | CATEGORY | Total Marks |
|----------|----------|-------------|
| 22100014 | EWS      | 108.00      |
| 22100019 | EWS      | 100.00      |
| 22100048 | EWS      | 68.00       |
| 22100051 | EWS      | 52.00       |
| 22100078 | EWS      | 80.00       |
| 22100084 | EWS      | 94.00       |
| 22100088 | EWS      | 98.00       |
| 22100094 | EWS      | 90.00       |
| 22100101 | EWS      | 90.00       |
| 22100106 | EWS      | 96.00       |
| 22100158 | EWS      | 70.00       |
| 22100229 | EWS      | 64.00       |
| 22100250 | EWS      | 54.00       |
| 22100280 | EWS      | 84.00       |
| 22100295 | EWS      | 84.00       |
| 22100324 | EWS      | 100.00      |
| 22100378 | EWS      | 64.00       |
| 22100402 | EWS      | 86.00       |
| 22100439 | EWS      | 74.00       |
| 22100459 | EWS      | 70.00       |
| 22100466 | EWS      | 70.00       |
| 22100508 | EWS      | 84.00       |
| 22100516 | EWS      | 90.00       |
| 22100517 | EWS      | 88.00       |
| 22100583 | EWS      | 144.00      |
| 22100588 | EWS      | 82.00       |
| 22100688 | EWS      | 82.00       |
| 22100705 | EWS      | 112.00      |
| 22100720 | EWS      | 116.00      |
| 22100768 | EWS      | 90.00       |
| 22100779 | EWS      | 96.00       |
| 22100832 | EWS      | 74.00       |
| 22100833 | EWS      | 110.00      |
| 22100898 | EWS      | 104.00      |
| 22100933 | EWS      | 52.00       |
| 22100940 | EWS      | 76.00       |
| 22100944 | EWS      | 80.00       |
| 22100946 | EWS      | 82.00       |
| 22100948 | EWS      | 86.00       |
| 22101025 | EWS      | 84.00       |
| 22101026 | EWS      | 78.00       |